NIKSAN

Defence Industry

PCP Air Rifles

ELF / ARCHERO / ESCALADE / OZARK / TACTO



Niksan Defence company entered the industry as a modest, small business in the 1970s. The company produced many types of hunting products especially shotguns, blank-signal pistols and fishing products. In the early 2000s, the company supplied parts to almost all the companies in our industry with the plastic injection machines acquired and the molds it has produced in-house.

Niksan Defence company, closely following the changing and developing technology, has taken firm steps towards, growth and factorization by adapting and innovative and devoted business model and making investments especially in the R&D department.

The company, serving its industry with more than 90 high technology plastic machines and CNC machines 2 factories with 11.000 square meters closed area that were built in Beyşehir Industrial Zone and Üzümlü in the years of 2015-2016, also with more than 800 molds of its own and 185 experienced employees, is realizing projects with TSK (Turkish Army) and the other armies with the help of high-level security certifications and special productions permits it owned.

Niksan Defence company, which celebrates its 40th year under the leadership of our founder, master, ancestor Mr.Niyazi KUZ will continue its investments new projects, and growth without slowing down.

ELF-S PCP Air Rifle







	Anti-Hamr	ner Bounce	Trigger Four Way - Adjustable	
Adjustable Cheek Pi	ece Self Indexin	g Magazine	Picatinny Rail	
Transfer Port Power Ac	ljuster Ergonomic S	Styled Stock	High Precision Barrel	
	Technica	al Details		
Stock	Synthetic	Fill Pressure	200 bar	
Barrel Length	55cm / 21.65 inch	Muzzle	1/2" UNF	
Total Length	78cm / 30.70 inch	Weight	3.9kg / 8.59 pound	
Air Tank Volume	280cc	Velocity 5.5	mm / .22cal : 900 FPS 18.13gr JSB	
Magazine Type 4.5n	nm / .177cal : 14 Shots. 5.5	5mm / .22cal : 12	Shots, 6.35mm / .25cal : 10 Shots	

ELF-W PCP Air Rifle







	Anti-Hamn	ner Bounce	Trigger Four Way - Adjustable	
Adjustable Cheek Piece Self Index		ıg Magazine	Picatinny Rail	
Transfer Port Power A	djuster Ergonomic S	Styled Stock	High Precision Barrel	
	Technica	al Details		
Stock	Walnut	Fill Pressure	200 bar	
Barrel Length	55cm / 21.65 inch	Muzzle	1/2" UNF	
Total Length	78cm / 30.70 inch	Weight	3.9kg / 8.59 pound	
Air Tank Volume	280cc	Velocity 5.5	imm / .22cal : 900 FPS 18.13gr JSE	
Magazine Type 4.5	mm / .177cal : 14 Shots. 5.5	5mm / .22cal : 12	2 Shots, 6.35mm / .25cal : 10 Shots	

ELF-C PCP Air Rifle







Adjustable Cheek Piece	Self Indexin	ıg Magazine	e Picatinny Rail	
Transfer Port Power Adjuster	Ergonomic S	Styled Stock	k High Precision Bar	rel
	Technica	al Details		
Stock	Synthetic	Fill Pressu	sure	200 bar
Barrel Length	55cm / 21.65 inch	Muzzle		1/2" UNF
Total Length	78cm / 30.70 inch	Weight	3.9kg / 8.5	9 pound
Air Tank Volume	280cc	Velocity	5.5mm / .22cal : 900 FPS 18.	13gr JSB
Magazine Type 4.5mm / .13	77cal : 14 Shots, 5.5	5mm / .22ca	al : 12 Shots, 6.35mm / .25cal :	10 Shots

OZARK-W PCP Air Rifle

Our legendary air rifle models.



Anti-Hammer Bounce





			, · · ·	iti Tidilililei Bodiloc	
Trigger Four Way - Adjustable	Self Indexing Magazine			Picatinny Rail	
Transfer Port Power Adjuster	Ergonomic :	Styled Stock	; F	High Precision Barrel	
	Technica	al Details			
Stock	Walnut	Fill Pressu	ure	250 bar	
Barrel Length 55cr	n / 21.65 inch	Muzzle		1/2" UNF	
Total Length 104cm	1 / 40.94 inch	Weight		3.3kg / 7.27 pound	
Air Tank Volume	425cc	Velocity	5.5mm / .22	cal : 900 FPS 18.13gr JSB	
Magazine Type 4.5mm / .177cal	: 14 Shots, 5.5	5mm / .22ca	al : 12 Shots, 6	3.35mm / .25cal : 10 Shots	

OZARK-TW PCP Air Rifle







Anti-Hammer Bou	nce Adjustable (Cheek Piece	Adjustable Stock
Trigger Four Way - Adju	stable Self Indexin	ıg Magazine	Picatinny Rail
Transfer Port Power Ac	ljuster Ergonomic S	Styled Stock	High Precision Barrel
	Technica	al Details	
Stock	Synthetic-Walnut	Fill Pressure	250 bar
Barrel Length	55cm / 21.65 inch	Muzzle	1/2" UNF
Total Length	97cm / 38.18 inch	Weight	3.15kg / 6.94 pound
Air Tank Volume	425cc	Velocity 5.5	5mm / .22cal : 900 FPS 18.13gr JSB
Magazine Type 4.5r	nm / .177cal : 14 Shots, 5.5	5mm / .22cal : 12	2 Shots, 6.35mm / .25cal : 10 Shots

OZARK-TS PCP Air Rifle







Anti-Hammer Bour	n ce Adjustable	e Cheek Piece	Adjustable Stock	
Trigger Four Way - Adju	stable Self Index	ing Magazine	Picatinny Rail	
Transfer Port Power Ad	juster Ergonomi	Styled Stock	High Precision Barrel	
	Techni	cal Details		
Stock	Synthetic	Fill Pressure	250 bar	
Barrel Length	55cm / 21.65 incl	Muzzle	1/2" UNF	
Total Length	97cm / 38.18 incl	Weight	3.2kg / 7.05 pound	
Air Tank Volume	425c	Velocity 5.5	mm / .22cal : 900 FPS 18.13gr JSB	
Magazine Type 4.5m	nm / .177cal : 14 Shots, 5	5.5mm / .22cal : 12	Shots, 6.35mm / .25cal : 10 Shots	



OZARK-TC PCP Air Rifle







Anti-Hammer Bounce	Adjustable Cheek Piece		Adjustable Stock
Trigger Four Way - Adjustable	Self Indexing Magazine		Picatinny Rail
Transfer Port Power Adjuster	Ergonomic S	Styled Stock	High Precision Barrel
	Technica	al Details	
tock	Synthetic	Fill Pressure	250 bar
arrel Length 55	5cm / 21.65 inch	Muzzle	1/2" UNF
otal Length 9	7cm / 38.18 inch	Weight	3.2kg / 7.05 pound
ir Tank Volume	425cc	Velocity 5.5mn	n / .22cal : 900 FPS 18.13gr JSB
		Velocity 5.5mn 5mm / .22cal : 12 Sh	

OZARK-TC PCP Air Rifle







Anti-Hammer Bounce	Adjustable (Cheek Piece	Adjustable Stock
Trigger Four Way - Adjustable	Self Indexin	g Magazine	Picatinny Rail
Transfer Port Power Adjuster	Ergonomic S	Styled Stock	High Precision Barrel
	Technica	al Details	
Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	55cm / 21.65 inch	Muzzle	1/2" UNF
Total Length	97cm / 38.18 inch	Weight	3.2kg / 7.05 pound
Air Tank Volume	425cc	Velocity 5.5mn	n / .22cal : 900 FPS 18.13gr JSB
Magazine Type 4.5mm / .17	77cal : 14 Shots, 5.5	5mm / .22cal : 12 Sh	ots, 6.35mm / .25cal : 10 Shots

ESCALADE-S PCP Air Rifle







			An	u-nammer bounce
Trigger Four Way - Adj	ustable Self Indexin	g Magazine		Picatinny Rail
Transfer Port Power A	djuster Ergonomic S	Styled Stock	: F	ligh Precision Barrel
	Technica	al Details		
Stock	Synthetic	Fill Pressu	ure	250 bar
Barrel Length	55cm / 21.65 inch	Muzzle		1/2" UNF
Total Length	100cm / 39.37 inch	Weight		4.0kg / 8.82 pound
Air Tank Volume	850cc	Velocity	5.5mm / .22	cal : 900 FPS 18.13gr JSB
Magazine Type 4.5	mm / .177cal : 14 Shots, 5.5	5mm / .22ca	ıl : 12 Shots, 6	.35mm / .25cal : 10 Shots

ESCALADE-C PCP Air Rifle







			Anti-Hammer Bounce
Trigger Four Way - Adj	ustable Self Indexin	g Magazine	Picatinny Rail
Transfer Port Power A	djuster Ergonomic S	Styled Stock	High Precision Barrel
	Technica	al Details	
Stock	Synthetic	Fill Pressure	250 bar
Barrel Length	55cm / 21.65 inch	Muzzle	1/2" UNF
Total Length	100cm / 39.37 inch	Weight	4.0kg / 8.82 pound
Air Tank Volume	850cc	Velocity 5.5n	nm / .22cal : 900 FPS 18.13gr JSB
Magazine Type 4.5	mm / .177cal : 14 Shots, 5.5	5mm / .22cal : 12	Shots, 6.35mm / .25cal : 10 Shots

ESCALADE-T PCP Air Rifle

Our legendary air rifle models.



Anti-Hammer Bounce





Trigger Four Way - Adjustable Sel	Self Indexing Magazine			Picatinny Rail	
Transfer Port Power Adjuster Erg	onomic S	Styled Stock		High Precis	sion Barrel
T	lechnica	l Details			
Stock Sy	nthetic	Fill Pressu	ıre		250 bar
Barrel Length 55cm / 21.6	65 inch	Muzzle			1/2" UNF
Total Length 100cm / 39.	37 inch	Weight		4.2	kg / 9.25 pound
Air Tank Volume	850cc	Velocity	5.5mm	/ .22cal : 900 l	PS 18.13gr JSB
Magazine Type 4.5mm / .177cal : 14 S	hots, 5.5	mm / .22ca	l : 12 Sho	ots, 6.35mm /	25cal : 10 Shots

ESCALADE-TC PCP Air Rifle







			Anti-Hammer Bounce
Trigger Four Way - Adj	ustable Self Indexi	ng Magazine	Picatinny Rail
Transfer Port Power Adjuster Ergonor		Styled Stock	High Precision Barrel
	Technic	al Details	
Stock	Synthetic	Fill Pressu	ure 250 bar
Barrel Length	55cm / 21.65 inch	Muzzle	1/2" UNF
Total Length	100cm / 39.37 inch	Weight	4.2kg / 9.25 pound
Air Tank Volume	850cc	Velocity	5.5mm / .22cal : 900 FPS 18.13gr JSB
Magazine Type 4.5	mm / .177cal : 14 Shots, 5.	.5mm / .22cal	al : 12 Shots, 6.35mm / .25cal : 10 Shots

ARCHERO-S PCP Air Rifle







	Anti-Hamn	ner Bounce	Adjustable Cheek Piece		
Trigger Four Way - Adjustab	le Self Indexin	g Magazine	Picatinny Rail High Precision Barrel		
Transfer Port Power Adjuste	er Ergonomic S	Styled Stock			
	Technica	al Details			
Stock	Synthetic	Fill Pressure	200 bar		
Barrel Length	55cm / 21.65 inch	Muzzle	1/2" UNF		
Total Length	100cm / 39.37 inch	Weight	3.5kg / 7.71 pound		
Air Tank Volume	280cc	Velocity 5.5mm / .22cal : 900 FPS 18.13gr			
Magazine Type 4.5mm /	.177cal : 14 Shots, 5.5	5mm / .22cal : 12 S	Shots, 6.35mm / .25cal : 10 Shots		

ARCHERO-C PCP Air Rifle







	A	nti-Hamn	ner Bounce	:	Adjustable Ch	neek Piece	
		Self Indexing Magazine Ergonomic Styled Stock			Picatinny Rail		
					High Precision Barrel		
		Technica	al Details				
Stock	\$	Synthetic	Fill Pressu	ire		200 bar	
Barrel Length	55cm / 2	1.65 inch	Muzzle			1/2" UNF	
Total Length	100cm / 39.37 inch		Weight		3.5kg / 7.71 po		
Air Tank Volume	olume 280cc		Velocity	5.5m	5.5mm / .22cal : 900 FPS 18.13gr JSE		
Magazine Type 4.5	mm / .177cal : 14	Shots, 5.5	5mm / .22ca	I : 12 S	hots, 6.35mm / .2	5cal : 10 Shots	

TACTO-S PCP Air Rifle

Our legendary air rifle models.



Adjustable Stock



Trigger Four Way - Adju	stable Self Indexi	ng Magazine	Picatinny Rail
Transfer Port Power Ac	ljuster Ergonomic	Styled Stock	High Precision Barrel
	Technic	al Details	
Stock	Synthetic	Fill Pressure	e 200 bar
Barrel Length	28cm / 11.02 inch	Muzzle	1/2" UNF
Total Length	68cm / 26.77 inch	Weight	2.5kg / 5.51 pound
Air Tank Volume	110cc	Velocity	5.5mm / .22cal : 500 FPS 18.13gr JSB
Magazine Type 4.5n	nm / .177cal : 14 Shots, 5	5mm / .22cal :	12 Shots, 6.35mm / .25cal : 10 Shots

Anti-Hammer Bounce

Adjustable Cheek Piece



TACTO-C PCP Air Rifle







Anti-Hammer Bounc	e Adjustable	Cheek Piece		Adjustable Stock	
Trigger Four Way - Adjusta	able Self Indexir	ıg Magazine		Picatinny Rail	
Transfer Port Power Adjus	ster Ergonomic	Styled Stock		High Precision Barrel	
	Technica	al Details			
Stock	Synthetic	Fill Pressu	re	200 ba	
Barrel Length	28cm / 11.02 inch	Muzzle		1/2" UNI	
Total Length	68cm / 26.77 inch	Weight	2.5kg / 5.51 poun		
Air Tank Volume	110cc	Velocity	5.5mm / .2:	2cal : 500 FPS 18.13gr JSI	
Magazine Type 4.5mm	/ .177cal : 14 Shots, 5.5	5mm / .22ca	: 12 Shots,	6.35mm / .25cal : 10 Shot	





NIKSAN

Defence Industry



Üzümlü Mahallesi Alparslan Türkeş Caddesi No:42/A Beyşehir / KONYA / TURKEY

+90 332 524 66 58

info@niksandefence.com - export@niksandefence.com www.niksandefence.com